Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"6982993".pn.	US-PGPUB; USPAT;	OR	ON	2006/01/19 08:02
L3	16639	(fram$4 with ((memory or buffer or storage) near4 output$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 08:04
L4	141	((fram$4 or defram$4) with ((memory or buffer or storage) near4 output$4))same primary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:05
L5	50	l4 and ((buffer or memory)with (occupancy or full$4 or empt$5 or fill$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:07
L6	60	l4 and ((clock or frequency or phase) near3 (control$4 or shift$3 or adjust$4 or manag$4 or chang$4 or var$3 or vary$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 08:10
L7	30	l5 and ((clock or frequency or phase) near3 (control$4 or shift$3 or adjust$4 or manag$4 or chang$4 or var$3 or vary$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 08:57
L8	27423	((stor$4 or transfer$4 or sav$4 or writ$5)near5 ((first or one or primary)adj3 (memory or fifo)))same ((stor$4 or transfer$4 or sav$4 or writ$5)near5 ((second$3 or other or another)adj3 (memory or fifo)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:03
L9	220	l8 same (((first or one or primary)adj3 (clock)))same (((second$3 or other or another)adj3 (clock)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:02

L10	147	((stor$4 or transfer$4 or sav$4 or writ$5)near5 ((first or one or primary)adj3 (memory or fifo))with ((first or one or primary)adj3 clock))same ((stor$4 or transfer$4 or sav$4 or writ$5)near5 ((second$3 or other or another)adj3 (memory or fifo))with ((second$3 or other or different or another or reference)adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:31
L11	24	((fram$4 or defram$4) near4 output$4)with (memory or buffer or storage)same (primary with secondary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:29
L12	4	l10 same (((fram$4 or defram$4) near4 output$4)with (memory or buffer or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:07
L13	0	((framer or defram$4) adj4 output$4)with ((memory or buffer or storage)adj3 (primary with secondary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:30
L14	0	((framer or defram$4) adj4 output$4)with ((memory or buffer or storage)near2 (primary or secondary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:30
L15	0	((stor$4 or transfer$4 or sav$4 or writ$5)with ((primary)adj3 (memory or fifo))with ((first or one or primary)adj3 clock))same ((stor$4 or transfer$4 or sav$4 or writ$5)with ((second$3)adj3 (memory or fifo))with ((second$3 or other or different or another or reference)adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:35
L16	1	((primary or secondary)near3 (storage or memeory or buffer))with framer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:50

L17	301	((((clock or frequenc$3)near3 (control$4 or adjust$4 or switch$4 or varying or var$3 or chang$4 or manag$4))with (phase near3 (adjust$4 or control$4 or chang$4 or vary$4 or switch$4)))same cycle same (pulse adj generat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:48
L18	17	"6597689".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 09:50
L19	1	l17 same ((buffer or memory)with (occupancy or full$4 or empt$5 or fill$3 or status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:09
L20	22	l17 and ((buffer or memory)with (occupancy or full$4 or empt$5 or fill$3 or status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:53
L21	15	((network$3 or server) near3 (element or equipment))with ((traffic or cross$connect)adj (backbone or card or pcb or board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:00
L22	2	"5896374".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:53
L23	16	((network$3 or server) near3 (element or equipment or switch))with ((traffic or cross$connect)adj (backbone or card or pcb or board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:02
L24	15	((network$3 or server) near3 (element or equipment or switch))with ((traffic or cross$connect or backbone) adj (card or pcb or board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:02

L25	35	((network$3 or server) near3 (element or equipment or switch))same ((traffic or cross$connect or backbone) adj (card or pcb or board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:25
L26	2	"6798789".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:26
L27	2	"6798784".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:30
L28	2	"6052751".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:30
S1	0	((enabl$4 or activat$4)near3 switch$4)with cross$connect same (phase near2 (control$4 or adjust$4 or shift$4 or correct$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:01
S2	6	("6959008" "6510446" "6941381").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:23
S3	18	("313703" "388914" "102461" "835704").ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:03
S4	18	("6266385" "20010053146" "20010016023" "5511077" "6510166" "5661778" "5001711" "4542500" "5577039").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:21

S5	2	("6456688").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:22
S6	2	("6456678").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:22
S7	0	("6456678").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:22
S8	7	("6539034" "4667324" "6667994").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:26
S9	17	((adjust$4 or control$4 or align$4 or synchroniz$5 or shift$4)near4 ((primary or reference)adj clock))with ((occupancy or occup$4 or full$4 or empty$4 or capacity)near3 (memory or storage or buffer or register$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:38
S10	0	S9 and ((stor$4 or sav$4 or writ$4)same ((primary with secondary)with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:32
S11	0	S9 and ((stor$4 or sav$4 or writ$4)same ((primary with secondary)near2 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:32
S12	2	"5892972".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:39

S13	6	"388914".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:43
S14	84	(phase adj2 (adjust$3 or control$4 or manag$5 or shift$3))with calibrat$4 with clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 14:45
S15	6358	((clock or frequenc$3)near3 (control$4 or adjust$4 or shift$4 or vari$3 or vary$3 or configur$5 or program$4))with (occupanc$3 or full$4 or empt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:31
S16	0	S15 same ((primary with secondary)adj3 (memory or buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:23
S17	5	S15 and ((primary with secondary)adj3 (memory or buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 12:59
S18	26	S15 and ((primary with secondary)adj3 (clock or frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:05
S19	0	S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:22
S20	32	S15 same (((primary or reference)adj3 (clock or frequency))with adjust$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:24

S21	222	S15 same ((primary or reference)adj3 (clock or frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:05
S22	0	S15 same (((primary or reference)adj3 (clock or frequency))with (primary adj3 (buffer or register or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:08
S23	14	S15 and (((primary or reference)adj3 (clock or frequency))with (primary adj3 (buffer or register or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:06
S24	72	S15 and cross$connect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:08
S25	471	S15 and (cross$connect or traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:09
S26	1	S15 and ((cross$connect or traffic)adj2 (board or card))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:16
S27	0	((cross$connect or traffic)adj2 (board or card))same ((primary with secondary)adj2 (board or card))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:17
S28	1	((cross$connect or traffic)adj2 (board or card))same ((primary with secondary)with (board or card))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:17

S29	23	((cross$connect or traffic)adj2 (board or card))same ((primary or secondary)with (board or card))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:20
S30	0	S29 and (((clock or frequenc$3)near3 (control$4 or adjust$4 or shift$4 or vari$3 or vary$3 or configur$5 or program$4))with (occupanc$3 or full$4 or empt$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:20
S31	0	S29 and (((clock or frequenc$3)near3 (control$4 or adjust$4 or shift$4 or vari$3 or vary$3 or configur$5 or program$4))same (occupanc$3 or full$4 or empt$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:20
S32	4205	((clock or frequenc$3)near3 (control$4 or adjust$4))with (occupanc$3 or full$4 or empt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:29
S33	1	S15 and (calibrat$4 with (phase adj adjust$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:30
S34	0	S15 same (calibrat$4 with (phase adj adjust$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:30
S35	39	S32 same ((phase adj adjust$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:31
S36	0	S35 and (calibrat$4 with(phase adj adjust$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:31

S37	1	((clock or frequenc$3)near3 (control$4 or adjust$4 or shift$4 or vari$3 or vary$3 or configur$5 or program$4))with ((occupanc$3 or full$4 or empt$5)near4 (primary adj2 (memory or buffer or register$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:34
S38	1	((clock or frequenc$3)near3 (control$4 or adjust$4 or shift$4 or vari$3 or vary$3 or configur$5 or program$4))same ((occupanc$3 or full$4 or empt$5)near4 (primary adj2 (memory or buffer or register$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:37
S39	23745	"713"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:37
S40	1	S38 and (((clock or frequenc$3)near3 (control$4 or adjust$4 or shift$4 or vari$3 or vary$3 or configur$5 or program$4))same ((occupanc$3 or full$4 or empt$5)near4 (primary adj2 (memory or buffer or register$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:39
S41	60	"4961188".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:09
S42	0	((adjust$4 or control$4)near3 (clock or frequenc$3 or speed or rate))with (occupanc$3 or full$4 or empt$5)with (egress adj (memory or buffer or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:12
S43	0	((adjust$4 or control$4)with (clock or frequenc$3 or speed or rate))with (occupanc$3 or full$4 or empt$5)with (egress adj (memory or buffer or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:13
S44	940	((adjust$4 or control$4)with (clock or frequenc$3 or speed or rate))with ((occupanc$3 or full$4 or underflow or overflow or empt$5)near3 (adjust$4 or manag$4 or control$4))with (buffer or register or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:17

S45	0	S44 same (primary adj (memory or register or buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:16
S46	29	S44 and (primary adj (memory or register or buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:16
S47	1531	(primary adj (memory or register or buffer))same (secondary adj (memory or register or buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:17
S48	0	S47 and (((adjust$4 or control$4)near5 ((primary or reference)adj(clock or frequenc$3 or speed or rate))) with ((occupanc$3 or full$4 or underflow or overflow or empt$5)near3 (adjust$4 or manag$4 or control$4))with (buffer or register or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:20
S49	0	S47 and (((adjust$4 or control$4)near5 ((primary or reference)adj(clock or frequenc$3 or speed or rate))) with ((occupanc$3 or full$4 or underflow or overflow or empt$5)with (buffer or register or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:20
S50	1	S47 and (((adjust$4 or control$4)near5 ((clock or frequenc$3 or speed or rate))) with ((occupanc$3 or full$4 or underflow or overflow or empt$5)with (buffer or register or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:28
S51	1	S47 and (((adjust$4 or control$4)near5 (clock or frequenc$3 or speed or rate)) with ((occupanc$3 or full$4 or underflow or overflow or empt$5)with (buffer or register or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:21

S52	5303	(((adjust$4 or control$4)near5 (clock or frequenc$3 or speed or rate)) with ((occupanc$3 or full$4 or underflow or overflow or empt$5 or flow)with (buffer or register or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:30
S53	105	S52 same ((primary or receiv$4)with (fifo or register41 or memory)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:31
S54	24	S53 same ((secondary or transmit$4)with (fifo or register41 or memory)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:32
S55	24	S53 same ((secondary or transmit$4)with (fifo or register$1 or memory)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 15:02
S56	24	S53 same ((secondary or transmit$4)with (fifo or register$1 or memory)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 14:32
S57	14	("5434892" "5680596" "5682554" "5778218" "6581164" "6209047" "6275896").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 15:15
S58	85	("5434892" "5680596" "5682554" "5778218" "6581164" "6209047" "6275896").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:31
S59	2	("6,252,920" "5,778,218").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:32

S60	10	("6347380" "6408409" "6016522" "." "6084934" "5448715").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:35
S61	10	("6581164" "5434892" "6226698" "6084934" "6172964").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 16:36
S62	0	("6982993").URPN.	USPAT	OR	ON	2006/01/17 16:42
S63	38	("20010012319" | "20010043568" | "5204882" | "5533018" | "5687174" | "5696790" | "5724355" | "5742596" | "5778001" | "5778218" | "5818511" | "5844891" | "5896443" | "5912880" | "5936936" | "5996018" | "6005872" | "6065061" | "6069899" | "6075784" | "6101182" | "6141339" | "6172964" | "6195714" | "6198752" | "6208653" | "6252850" | "6289097" | "6370153" | "6385193" | "6388997" | "6404782" | "6407997" | "6414950" | "6414952" | "6456594" | "6487405" | "6603831").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/17 16:42
S64	1	((stor$4 or sav$4 or writ$4 or transfer$4)adj4 ((primary near3 secondary)adj3(fifo or source or register)))with ((primary near3 secondary)adj2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 08:08
S65	1	((stor$4 or sav$4 or writ$4 or transfer$4)adj4 ((primary near3 secondary)adj3(fifo or source or register)))same ((primary near3 secondary)adj2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 07:30
S66	2	"6272552".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:45
S67	0	("6918001").URPN.	USPAT	OR	ON	2006/01/18 07:32

S68	41	("20020069352" | "20020073338" | "20020097745" | "20030081558" | "20030084029" | "20030145134" | "20030158992" | "3618031" | "3725864" | "4872160" | "5001625" | "5261059" | "5303267" | "5465355" | "5604735" | "5675580" | "5729763" | "5838937" | "6067593" | "6105122" | "6138185" | "6138187" | "6272552" | "6330639" | "6366983" | "6389494" | "6426952" | "6434656" | "6467031" | "6496894" | "6523092" | "6604186" | "6615308" | "6618777" | "6625695" | "6633946" | "6650586" | "6675251" | "6684311" | "6701469" | "6769046").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 07:32
S69	9	("4821034" | "4862452" | "5717871" | "5784576" | "5815647" | "6138185" | "6243787" | "6421769" | "6438128").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 07:56
S70	3	("6633946").URPN.	USPAT	OR	ON	2006/01/18 07:59
S71	1	((stor$4 or sav$4 or writ$4 or transfer$4)near3 ((primary near3 secondary)adj2(fifo or source or register)))with ((primary near3 secondary)adj2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 08:29
S72	11004	(control$4 or adjust$4 or manag$5 or maintain$4)near5 ((memory or fifo)near3(occupany or full$4 or empt$5 or occup$4 or capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 08:32
S73	146	S72 with ((clock or frequenc$3)near3 (control$4 or adjust$4 or switch$4 or chang$4 or increas$4 or decreas$4 or lower$4 or reduc$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:58
S74	0	S73 same (primary adj (buffer$1 or fifo$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 08:20

S75	0	S73 same (primary adj (buffer$1 or fifo$1 or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 08:21
S76	10	S73 same ((primary or first or main or system)adj (buffer$1 or fifo$1 or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 08:22
S77	25480	((stor$4 or sav$4 or writ$4 or transfer$4)near3 ((first or source or primary)adj2(fifo or source or register or memory)))with ((secondary or destination or other or second or another)adj2 (fifo or source or register or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 08:31
S78	83	S77 same ((control$4 or adjust$4 or manag$5 or maintain$4)near5 ((memory or fifo)near3(occupany or full$4 or empt$5 or occup$4 or capacity)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 08:33
S79	2	"6029194".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:45
S80	2	S72 with ((clock near2 (edge or phase))near3 (control$4 or adjust$4 or delay$3 or chang$4 or increas$4 or decreas$4 or lower$4 or reduc$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:07
S81	2	((clock near2 (edge or phase))near3 (control$4 or adjust$4 or delay$3 or chang$4 or delay$3 or skew$3))with ((occupancy or fullness or empt$5)adj5 (memory or buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:02
S82	14	S77 with ((clock near2 (edge or phase or skew$3))near3 (control$4 or adjust$4 or delay$3 or chang$4 or increas$4 or decreas$4 or lower$4 or reduc$5 or retard$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:14

S83	4	(((clock or frequenc$3) near3 (control$4 or adjust$4 or manag$5))with ((clock near3(edge or phase or skew$3))near3 (control$4 or adjust$4 or delay$3 or chang$4 or reduc$5 or retard$4)))same (phase adj calibrat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:20
S84	0	(((clock near3(edge or phase or skew$3))near3 (control$4 or adjust$4 or delay$3 or chang$4 or reduc$5 or retard$4))with (occupancy or fullness or empty))same ((phase adj adjuster) near3 calibrat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:24
S85	0	(((clock near3(edge or phase or skew$3))near3 (control$4 or adjust$4 or delay$3 or chang$4 or reduc$5 or retard$4))with (occupancy or fullness or empty))and ((phase adj adjuster) near3 calibrat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:25
S86	0	(((clock near3(edge or phase or skew$3))near5 (control$4 or adjust$4 or delay$3 or chang$4 or reduc$5 or retard$4))with (occupancy or fullness or empty))and ((phase adj adjuster) near3 calibrat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:25
S87	41	(((clock near3(edge or phase or skew$3))near5 (control$4 or adjust$4 or delay$3 or chang$4 or reduc$5 or retard$4))with (occupancy or fullness or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 12:48
S88	7	S87 same (fifo or memory or register$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:28
S89	5	(((clock near3 phase) near3 (control$4 or adjust$4 or delay$3 or retard$4))with (occupancy or fullness or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 12:52
S90	0	(((clock near3 phase) near3 (control$4 or adjust$4 or delay$3 or retard$4))with (occupancy or fullness or empty)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 12:52

S91	0	(((clock near3 phase) near3 (control$4 or adjust$4 or delay$3 or retard$4))same(occupancy or fullness or empty)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 12:52
S92	50	(((clock) near3 (control$4 or adjust$4 or delay$3 or retard$4))same(occupancy or fullness or empty)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 12:52
S93	39	(((clock) near3 (control$4 or adjust$4 or delay$3 or retard$4))with(occupancy or fullness or empty)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:14
S94	46	(((clock) near3 (control$4 or adjust$4 or delay$3 or retard$4))with((occupancy or fullness or empty)near3 (memory or fifo)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:16
S95	55	(((clock or phase) near3 (control$4 or adjust$4 or delay$3 or retard$4 or shift$4))with((occupancy or fullness or empty)near3 (memory or fifo)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:17
S96	0	(((clock near3 phase) near3 (control$4 or adjust$4 or delay$3 or retard$4 or shift$4))with((occupancy or fullness or empty)near3 (memory or fifo)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:18
S97	2	(((clock near3 phase) with (control$4 or adjust$4 or delay$3 or retard$4 or shift$4))with((occupancy or fullness or empty)near3 (memory or fifo)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:21
S98	0	(((clock near3 phase) with (control$4 or adjust$4 or delay$3 or retard$4 or shift$4))same (adjust$3 adj5 ((occupancy or fullness or empty)near3 (memory or fifo))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:22

S99	67	(((clock or phase) near5 (control$4 or adjust$4 or delay$3 or retard$4 or shift$4))same ((adjust$3 or control$4 or manag$4 or maintain$4)near4 ((occupancy or fullness or empty)near3 (memory or fifo))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:46
S10 0	19	(((clock or phase) near5 (control$4 or adjust$4 or delay$3 or retard$4 or shift$4))with ((adjust$3 or control$4 or manag$4 or maintain$4)near4 ((occupancy or fullness or empty)near3 (memory or fifo))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:32
S10 1	4	"602461".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:45
S10 2	7	(cross$connect or cross$bar or interconnect$4 ot transfer$4)with (repeat$4 adj switch$4) with (phase adjuster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:48
S10 3	20	((phase or edge)near3 align$4)with ((adjust$4 or manag$4 or control$4)near3 (occupanc$3 or full$4 or empt$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:56
S10 4	0	S103 and (ingress adj fifo$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:51
S10 5	0	((synchroniz$5 or align$4)near4 (occupanc$3 or fullness or empt$5))with (two adj3 (ingress adj fifo$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:52
S10 6	0	((synchroniz$5 or align$4)near4 (occupanc$3 or fullness or empt$5))same (two adj3 (ingress adj fifo$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:52

S10 7	0	((synchroniz$5 or align$4)near4 (occupanc$3 or fullness or empt$5))same ((two or multiple or pluralit$4) adj3 (ingress adj fifo$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:53
S10 8	0	((synchroniz$5 or align$4)near4 (occupanc$3 or fullness or empt$5))and ((two or multiple or pluralit$4) adj3 (ingress adj fifo$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:05
S10 9	6207	(((phase or edge)near3 (align$4 or adjust$4 or manag$4 or control$4))with (occupanc$3 or full$4 or empt$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:57
S11 0	0	S109 and ((synchroniz$5 or align$4 or adjust$4)near4 (occupanc$3 or fullness or empt$5))same((two or multiple or pluralit$4) adj3 (ingress adj fifo$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:59
S11 1	0	S109 and (((two or multiple or pluralit$4) adj3 (ingress adj fifo$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:59
S11 2	0	S109 and (((ingress adj fifo$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:00
S11 3	0	(traffic adj3 (card or board))same(((ingress adj fifo$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:00
S11 4	1	(traffic adj3 (card or board))and(((ingress adj fifo$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:01

S115	2	((synchroniz$5 or align$4)near4 (occupanc$3 or fullness or empt$5))with ((two or multiple or pluralit$4) adj3 (fifo$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:08
S116	163593	koichi.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:08
S117	284	S116 and aida	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:09
S118	4696	S116 and fujitsu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:09
S119	69	S117 and fujitsu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:09
S120	0	(((clock or phase or frequency) near5 (control$4 or adjust$4 or manag$5 or delay$3 or retard$4 or shift$4))with ((adjust$3 or control$4 or manag$4 or maintain$4)near4 ((occupancy or fullness or empty or full)near3 (primary adj (memory or fifo)))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:48
S121	0	(((clock or phase or frequency) near5 (control$4 or adjust$4 or manag$5 or delay$3 or retard$4 or shift$4))same ((adjust$3 or control$4 or manag$4 or maintain$4)near4 ((occupancy or fullness or empty or full)near3 (primary adj (memory or fifo)))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:49

S12 2	0	(((clock or phase or frequency) near5 (control$4 or adjust$4 or manag$5 or delay$3 or retard$4 or shift$4))same ((adjust$3 or control$4 or manag$4 or maintain$4)near4 ((occupancy or fullness or empty or full or capacity)near3 (primary adj (memory or fifo)))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:49
S12 3	0	(((clock or phase or frequency) near5 (control$4 or adjust$4 or manag$5 or delay$3 or retard$4 or shift$4))same ((adjust$3 or control$4 or manag$4 or maintain$4)near4 ((occupancy or fullness or empty or full or capacity)with (primary adj (memory or fifo)))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:50
S12 4	0	(((clock or phase or frequency) near5 (control$4 or adjust$4 or manag$5 or delay$3 or retard$4 or shift$4))same ((adjust$3 or control$4 or manag$4 or maintain$4)with ((occupancy or fullness or empty or full or capacity)same (primary adj (memory or fifo)))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:52
S12 5	6	(adjust$4 near3 (clock or frequency)) with (((adjust$4 or manag$4 or maitain$4) adj (occupancy or full$4 or empty$4))with (buffer or register or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:03
S12 6	6	((control$4 or adjust$4 or vary$4)near3 (clock or frequency)) with (((adjust$4 or manag$4 or maitain$4) adj (occupancy or full$4 or empty$4))with (buffer or register or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:55
S12 7	6	("6029194" "6014694" "6014706").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:07
S12 8	4961	((primary or first or one)adj (memory or fifo))with (clock or frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:08

S129	193	S128 and (((adjust$4 or control$4 or shift$4 or forward$4 or retard$4)near4 (clock or frequenc$3 or edge))with (occupanc$4 or full$4 or empt$4 or capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:10
S130	77	S128 same (((adjust$4 or control$4 or shift$4 or forward$4 or retard$4)near4 (clock or frequenc$3 or edge))with (occupanc$4 or full$4 or empt$4 or capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:11
S131	73	S128 with (((adjust$4 or control$4 or shift$4 or forward$4 or retard$4)near4 (clock or frequenc$3 or edge))with (occupanc$4 or full$4 or empt$4 or capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:12
S132	8	S131 same ((second$4 or other or another)adj3 (fifo or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:13